

TR54

RUGGED AND MODULAR TABLET DESIGNED FOR ENTERPRISE MOBILITY

Enterprise-Grade Performance & Power

The TR54 is engineered to meet the demanding requirements of frontline operations. It runs on Android 15 and is upgradeable to Android 18, ensuring long-term software support and access to the latest enterprise features. With 8GB RAM and 128GB UFS storage, the TR54 delivers smooth multi-tasking and high-speed performance for intensive enterprise applications. The high-performance processor enables seamless execution of real-time data capture, inspection, and asset tracking tasks. 8,000mAh hot-swappable battery minimizes downtime during shift changes in logistics, manufacturing, and field service environments.

Advanced Connectivity for Every Environment

To support uninterrupted workflows, the TR54 is equipped with Wi-Fi 6E, Bluetooth 5.2, and optional LTE connectivity. These technologies enable fast, stable wireless communication across various environments—from indoor facilities such as hospitals and warehouses to remote or mobile job sites—ensuring real-time access to systems and data.

Flexible Scanning & Input Options

Designed to accommodate a variety of workflows, the TR54 offers optional 2D scanners with straight or 45° downward angles, enhancing usability and scanning efficiency in different operational setups. Its glove-compatible touchscreen allows for smooth input even in industrial or clinical environments, supporting rapid barcode scanning and data entry in fast-paced settings.

Built Tough with Enterprise Versatility

Built for durability, the TR54 is IP65-rated for water and dust resistance and tested to withstand drops, vibration, and daily wear in harsh environments. A comprehensive lineup of accessories—including hand straps, docking stations, expansion modules, and vehicle mounts—ensures seamless integration into workflows across industries such as healthcare, warehousing, retail, and utilities.



Versatile In-Display NFC for Customer Engagement




The TR54 features integrated in-display NFC technology, empowering enterprises to deploy a wide range of customer-facing applications—from contactless SoftPOS tap-to-pay and secure badge authentication to loyalty program interactions. This built-in capability streamlines transactions and access control, delivering a frictionless experience across retail, hospitality, healthcare, and field operations.

Basic Package

- 1 x Terminal
- 1 x Power Adaptor
- 1 x USB Type-C Cable
- 1 x Power Plugs (EU type)
- 1 x LCD Protective Film

Accessories (Optional)

- Rugged Boot with Rotating Hand Strap
- Single-slot Charging Cradle
- 5-slot Charging Cradle
- Shoulder Strap
- 2 x Hand Grip



Corporate Headquarters
Point Mobile Co., Ltd.
<https://www.pointmobile.com>
+82 2 3397 7870

North America
Point Mobile Americas LLC
info.bs@pointmobile.com
+1 202 798 0786

Europe
Point Mobile Europe GmbH
info.pmeg@pointmobile.com
+49 (0)211 1675 7286

China
Point Mobile China
info@pointmobile-cn.com
+86 755 8869 1169

Japan
Point Mobile Japan Co., LTD
info.pmj@pointmobile.com
+81 3-5219-1402

TR54



PERFORMANCE CHARACTERISTICS

Main processor	Octa-core @ 2.2 GHz
Operating System	
Google Android™ (GMS)	Android 15 FOTA (Firmware Over The Air) Update
Memory and Storage	
RAM / FLASH microSD SIM	8 GB / 128 GB (UFS) Supports up to 1 TB using ExFAT file system 1 x nano SIM, 1 x eSIM
Sensors	Proximity, Light ambient, Accelerometer, Gyro, Digital compass

PHYSICAL CHARACTERISTICS

Dimensions	272.9 x 175.2 x 11.7 mm * 10.7 x 6.9 x 0.5 in. *
Weight	
With scanner Without scanner	724 g (with battery) 715 g (with battery)
Display	10.95" (1920 x 1200 pixels), IPS Daylight Readable (typical, 500 nits at max.) LED Backlight Wideviewing Angle
Power	
Main battery Back-up battery Adapter	8,000 mAh, Removable, Hard-pack 100 mAh, 3.7 V, 10C (Hot-swap) PD 3.0, 33 W Fast Charging AC Input: 100-240 V, 50-60 Hz DC Output: 33 W
Keys & Buttons	Volume ± Power Two Scan Buttons (Scanner SKU)
Voice & Audio	2 x Microphone 2 x Speaker (Smart PA, 1W)
Connectors	
Docking station Rear POGO USB type-C port	6 pins 8 pins (on the battery compartment) 2
Notification	2 x Dual LED (Power: R/G, Warning: R/B)

GLOBAL NAVIGATION SATELLITE SYSTEM

WLAN SKU	No GNSS
WWAN SKU	GNSS Receiver for GPS, GLONASS, Galileo and BeiDou

WIRELESS

Wireless WAN (optional)	
LTE	B1/2/3/4/5/7/8/12/13/17/19/20/25/26/28 38/40/41
3G	B1/2/4/5/6/8/19
Wireless LAN	
Radio	IEEE 802.11 a/b/g/n/ac/ax/d/h/i/k/r/v,

	Wi-Fi 6E, Wi-Fi Direct, Hotspot support
Data Rates	6 GHz: 802.11 ax: Up to 867 Mbps 5 GHz: 802.11 a/n/ac/ax: Up to 867 Mbps 2.4 GHz: 802.11 b/g/n/ax: Up to 143 Mbps
Operating Channels	1 to 13 (2412~2472 MHz) 36 to 165 (5180~5825 MHz) 1 to 233 (5955~7115 MHz)
Channel Bandwidth	20, 40, 80, 160 MHz
Security and Encryption	WEP / WPA / WPA2 / WEP, RC4 Algorithm / TKIP, RC4 Algorithm / AES, Rijndael Algorithm, EAP-FAST / EAP-TLS / EAP-TTLS / PEAP-GTC / PEAP-MSCHAPv2 / WPA3 Personal / WPA3 Enterprise / Enhanced Open (OWE)
Fast Roam	802.11 r

Wireless PAN

Bluetooth	Version 5.2, Class 1, BLE support
-----------	-----------------------------------

DATA CAPTURE

Integrated Scan Engine (optional)

Scan Engine (optional)	Supports 1D/2D symbologies
Scan Engine Mount Angle	0° or 45° (optional)

Camera

Front	8 MP, Fixed Focus, F2.0
Rear	13 MP PDAF, LED Flash, F2.0

NFC

NFC-Forum	Supports NFC Forum Tag Types 2-5
-----------	----------------------------------

Reader (PCD)	ISO/IEC 14443A / 14443 B / 15693 MIFARE® Classic 1K/4K DESFire® MIFARE® UltraLight® Sony FeliCa™
---------------------	---

USER ENVIRONMENT

Operating Temperature	-20 °C to 50 °C or 55 °C ** -4 °F to 122 °F or 131 °F **
------------------------------	---

Storage Temperature	-40 °C to 70 °C -40 °F to 158 °F
----------------------------	-------------------------------------

Humidity	95% non-condensing
-----------------	--------------------

Drop	MIL-STD-810H 1.2 m (4 ft) to concrete and 1.55 m (5.1 ft) to concrete with rugged boot, across the temperature range from -20 °C to 50 °C (-4 °F to 122 °F)
-------------	---

Mini Drops	1,000 times from 0.2 m to wooden floor
-------------------	--


Rain/Dustproof (sealing)	IP65
---------------------------------	------

Electrostatic Discharge	± 15 kV Air Discharge ± 8 kV Contact Discharge
--------------------------------	---

ENVIRONMENTAL COMPLIANCE

WEEE, REACH, RoHS

ENTERPRISE SOLUTIONS



PMDM (Point Mobile MDM) is a mobile device management solution for managing and monitoring your Point Mobile Android devices.

Centralized management of enterprise devices is vital for better productivity. You should provide a device configuration so that the workers can concentrate on their work with the device, and reduce device downtime by enabling predictive maintenance for battery replacement.



Makes it easy to create single-purpose devices. You can improve workforce productivity and control user's access boundaries – Restricts device usage to authorized applications only, ensuring controlled access.

PULS – Android™ UPDATE & SECURITY

PULS is a Point Mobile's lifetime solution, which provides the Android-based Point Mobile enterprise devices with security patches for up to three years after a product launch.



Stay up-to-date with the latest security updates for up to 7 years
Conveniently update your devices in the field by FOTA
Update Android Versions and use new features via PULS**

For further information, please visit www.pointmobile.com or contact your regional sales representative.

WARRANTY

Subject to the Terms and Conditions, TR54 carries 1 (one) year-warranty period from the date of purchase against the defective materials and manufacturing defects.

For further inquiries, please leave your message here:
<https://pointmobile.com/en/contact/inquiry.php>.

ACCESSORIES (optional)

Boot Case with Rotating Hand Strap
Single-slot Charging Cradle
5-slot Charging Cradle
Shoulder Strap
2 x Hand Grip

* Listed dimensions only apply to the no-scanner SKU configuration.
** Maximum operating temperature varies by SKU.